

EGRO EQUIPMENT PRICE LIST

effective June 1st 2025



EGRO TOUCH COFFEE

[view equipment online »](#)



High-volume brewed coffee machine with HD interface



STANDARD FEATURES

- 4 large bean hoppers
- Grinding system
- Centralized hot water
- Automatic Spout+
- Separate travel mug spout
- High-capacity 22 g brew module

\$18,500

OPTIONS

COFFEE

Under counter grounds chute \$ 180

MISCELLANEOUS

Locks and cup guide (self-service) \$ 490

ADD-ON MODULES

Cool Coffee System (internal) \$4600

TOUCH COFFEE

4 Hopper

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	12 x 23 x 35 in
Boiler Capacity	1 L
Voltage	220 V
Power	3100 W
Amperage	20 A

*Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required.
Water must be maintained in accordance with the Rancilio Group NA water quality statement.*

EGRO TOUCH COFFEE

[view equipment online »](#)



High-volume brewed coffee machine with HD interface



STANDARD FEATURES

- Dual self-adjusting grinders
- 2 bean hoppers
- Automatic Spout+
- High-capacity 22 g brew module

\$19,900

OPTIONS

COFFEE

Under counter grounds chute \$ 180

MISCELLANEOUS

Locks and cup guide (self-service) * \$ 490

* Special order: may result in longer lead times.

TOUCH COFFEE

2 Hopper

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	12 x 23 x 31 in
Boiler Capacity	0.5 L
Voltage	220 V
Power	3100 W
Amperage	20 A

*Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required.
Water must be maintained in accordance with the Rancilio Group NA water quality statement.*

High-volume super automatic espresso system with HD interface



NEXT Top Milk

STANDARD FEATURES

- Dual self-adjusting grinders
- 2 bean hoppers
- Centralized hot water
- Americano bypass single cup
- Multi Drink software with 1000s of drink possibilities
- Countertop fridge with up to 1.7 gal milk storage
- Single milk pump system

\$33,900

includes countertop refrigerator

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	24 x 23 x 31 in
Boiler Capacity (Coffee/Steam)	0.5/1.9 L
Voltage (Main Unit/Fridge)	220/120 V
Power	6000 W
Amperage (Main Unit/Fridge)	30/15 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

CONFIGURATIONS

CAFÉ PACKAGE

Includes iSteam wand and external hot water spout \$1660

SELF-SERVICE PACKAGE

Includes locks, cup guide, and automatic spout \$1250

OPTIONS

COFFEE

Under counter grounds chute \$ 180

High-capacity 22 g brew module \$ 310

MILK

Multi-Milk* \$ 950

Cold Milk Foam* \$1600

ADD-ON MODULES

Powder module \$2900

Interested in other refrigeration options? Contact our team to learn more about undercounter and workstation fridges from Beverage-Air.

** Special order; may result in longer lead times.*

EGRO NEXT

[view equipment online »](#)



High-volume super automatic espresso system with HD interface



NEXT

Pure Coffee

STANDARD FEATURES

- iSteam+ intelligent steam wand
- Dual self-adjusting grinders
- 2 bean hoppers
- External hot water spout
- Americano bypass single cup
- Multi Drink software with 1000s of drink possibilities

\$27,400

OPTIONS

COFFEE

Automatic Spout+*	\$ 760
Under counter grounds chute	\$ 180
High-capacity 22 g brew module	\$ 310

* Special order: may result in longer lead times.

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	12 x 23 x 31 in
Boiler Capacity (Coffee/Steam)	0.5/1.9 L
Voltage	220 V
Power	6000 W
Amperage (Main Unit/Fridge)	30 A

Water must remain at 2-3 GPG or warranty will be voided. A dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

EGRO ONE

[view equipment online »](#)



High-volume super automatic espresso system with compact interface



ONE Top Milk

STANDARD FEATURES

- Dual self-adjusting grinders
- 2 bean hoppers
- Centralized hot water
- Americano bypass single cup
- Countertop fridge with up to 1.7 gal milk storage
- Single milk pump system

\$33,100

includes countertop refrigerator

CONFIGURATIONS

CAFÉ PACKAGE

Includes iSteam wand and external hot water spout \$1350

OPTIONS

COFFEE

Under counter grounds chute \$ 180

High-capacity 22 g brew module \$ 310

MILK

Multi-Milk* \$ 950

ADD-ON MODULES

Powder module \$2900

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	24 x 23 x 31 in
Boiler Capacity (Coffee/Steam)	0.5/1.9 L
Voltage (Main Unit/Fridge)	220/120 V
Power	6000 W
Amperage (Main Unit/Fridge)	30/15 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

Interested in other refrigeration options? Contact our team to learn more about undercounter and workstation fridges from Beverage-Air.

** Special order: may result in longer lead times.*

EGRO ONE

High-volume super automatic espresso system with compact interface



ONE Quick Milk

STANDARD FEATURES

- Dual self-adjusting grinders
- 2 bean hoppers
- Centralized hot water
- Americano bypass single cup
- Compact countertop fridge with up to 1 gal milk storage

\$25,400

OPTIONS

STEAM

iSteam wand* \$2300

COFFEE

Under counter grounds chute \$ 180

* Special order: may result in longer lead times.

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	21 x 23 x 31 in
Boiler Capacity (Coffee/Steam)	0.5/1.9 L
Voltage (Main Unit/Fridge)	220/120 V
Power	6000 W
Amperage (Main Unit/Fridge)	30/15 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

EGRO ONE

[view equipment online »](#)



High-volume super automatic espresso system with compact interface



STANDARD FEATURES

- Dual self-adjusting grinders
- 2 bean hoppers
- iSteam+ intelligent steam wand
- External hot water spout
- Americano bypass single cup

\$25,800

OPTIONS

COFFEE

Under counter grounds chute	\$ 180
High-capacity 22 g brew module	\$ 310

ONE

Pure Coffee

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	12 x 23 x 31 in
Boiler Capacity (Coffee/Steam)	0.5/1.9 L
Voltage	220 V
Power	6000 W
Amperage	30 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

EGRO MODE

Mid-volume super automatic espresso system with compact interface



MODE Pro Milk

STANDARD FEATURES

- Dual grinders
- 2 bean hoppers
- Manual steam wand
- External hot water spout
- Americano bypass single cup
- Pro Milk pump system
- Compact countertop fridge with up to 1 gal milk storage

\$20,740

OPTIONS

COFFEE

Under counter grounds chute	\$ 360
High-capacity 22 g brew module	\$ 310

MISCELLANEOUS

Locks and cup guide (self-service)*	\$ 490
-------------------------------------	--------

ADD-ON MODULES

Dual powder hoppers*	\$1700
----------------------	--------

* Special order; may result in longer lead times.

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	22 x 23 x 32 in
Boiler Capacity (Coffee/Steam)	0.5/0.8 L
Voltage (Main Unit/Fridge)	120/120 V
Power	2000 W
Amperage (Main Unit/Fridge)	20/15 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

EGRO MODE

Mid-volume super automatic espresso system with compact interface



MODE Quick Milk

STANDARD FEATURES

- Dual grinders
- 2 bean hoppers
- Centralized hot water
- Americano bypass single cup
- Compact countertop fridge with up to 1 gal milk storage

\$18,400

OPTIONS

COFFEE

Under counter grounds chute	\$ 360
High-capacity 22 g brew module	\$ 310

MISCELLANEOUS

Locks and cup guide (self-service)*	\$ 490
-------------------------------------	--------

ADD-ON MODULES

Dual powder hoppers*	\$1700
----------------------	--------

* Special order; may result in longer lead times.

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	22 x 23 x 32 in
Boiler Capacity (Coffee/Steam)	0.5/0.8 L
Voltage (Main Unit/Fridge)	120/120 V
Power	2000 W
Amperage (Main Unit/Fridge)	20/15 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

EGRO MODE

Mid-volume super automatic espresso system with compact interface



STANDARD FEATURES

- Dual grinders
- 2 bean hoppers
- Manual steam wand
- External hot water spout
- Americano bypass single cup

\$16,320

OPTIONS

COFFEE

Under counter grounds chute	\$ 360
High-capacity 22 g brew module	\$ 310

ADD-ON MODULES

Dual powder hoppers*	\$1700
----------------------	--------

* Special order; may result in longer lead times.

MODE

Pure Coffee

TECHNICAL SPECIFICATIONS

Dimensions (W x D x H)	12 x 23 x 32 in
Boiler Capacity (Coffee/Steam)	0.5/0.8 L
Voltage	120 V
Power	2000 W
Amperage	20 A

Water must remain at 2-3 GPG or warranty will be voided - a dedicated water softener/filter is required. Water must be maintained in accordance with the Rancilio Group NA water quality statement.

FEATURE DETAILS



INTERFACE DETAILS

HD interface: 10" touchscreen interface with customizable graphics and video capabilities – *Next, Touch Coffee*

Compact interface: Color touchscreen best suited for staffed operations – *One, MoDe*

OPTIONS DETAILS

iSteam: Intelligent steam wand automatically froths & steams milk.

iSteam+: Intelligent steam wand with extra power automatically froths & steams milk up to 35% faster than standard iSteam. Standard on Next & One Pure Coffee models,

Cool Coffee: Rapidly cools coffee after brewing for best-quality iced beverages. On the Touch Coffee 4, this system is integrated internally.

Manual steam wand: Activated via touchscreen interface.

Pro Milk: Offers additional control for precise milk dosing, and adds the ability to dose cold milk for iced beverages. Pump module fits neatly in Quick Milk fridge.

Americano single cup bypass: enables machine to deliver authentic Americanos into a single cup.

Self-Adjusting Grinder: automatically adjusts the coffee grind size to compensate for environmental changes.

High-capacity brew module: Capable of brewing up to 25 grams of coffee for drinks of all sizes.

Automatic Spout: automatically adjusts the delivery spout to the correct cup size .

Under counter grounds chute: Chute that diverts ground coffee to under counter waste container; not available when an under counter fridge is installed directly under the machine.

External hot water outlet: hot water delivered through a separate outlet to the right of the drink spout.

Self-Service package: Tamper-preventing locks with keys for bean hoppers and coffee ground waste door, plus guides to ensure proper cup placement.

Separate travel mug spout: Coffee is delivered via spout to the left of the central outlet to accommodate oversize cups and travel mugs.

Cold Milk Foam: Adds the option for creamy cold milk foam topping.

Powder module: Enables machine to deliver up to two types of powder; for example, chocolate for mochas and hot chocolate.



Interested in additional milk storage and other available configurations? Get in touch!

Not all options are available for all models or configurations.

WATER QUALITY STATEMENT

Water is the main ingredient in your coffee; it can comprise over 90% of your beverage. Proper water treatment will not only ensure good flavor for your product but will also prolong the life of your machine. During brewing/extraction, substances such as oils, minerals, salts, and sugars are extracted into your water, altering its flavor. Every water source is composed of different minerals, chemicals, and compounds due to geographic and municipal variables. Therefore, we recommend testing your water thoroughly. Doing so will allow you to select the best water filtration solution for your needs.

Rancilio Group North America does not monitor changes in water due to treatment from municipalities. Damage caused by inadequately treated water will void the machine and manufacturer's warranty.

Water Factors for Equipment: Calcium Carbonate and Chlorides are the most significant factors that will affect your machine. Calcium Carbonate, a dissolved mineral, will settle inside the machine as scale. This is measured as water hardness. Higher levels of water hardness will cause faster scale buildup. Scale can clog orifices and block sensors from taking proper readings. Chlorides can bond with electrons in the metals of the espresso machine, which may produce salts that can alter the flavor of your espresso. This exchange of ions leads to the corrosion of the metals inside the machine.

Filtration Quick Guide: Filtration can be installed in-line directly before the machine or as part of a large water management system. When installing a machine in a building water management system, verify that the water hardness, TDS, pH, and chloride levels are within our recommendations. The machine may require an additional in-line system to make up for shortcomings in the building water management system.

NOTE: Having only a water softener is insufficient in most applications.

- **Carbon Filtration:** Water is passed through granular carbon-retaining compounds that impart taste and odor.
- **Ion Exchange:** Introduces desirable compounds like sodium while removing unwanted mineral components by attracting ions to its membrane.
- **Reverse Osmosis:** Water forced into semi-permeable membrane to remove ions, molecules, and larger particles. Reverse osmosis can remove dissolved and suspended particulate from water, including bacteria. We recommend using a blend valve to introduce the desired levels of minerals to obtain your target TDS (90-110 ppm).

Filter Cartridge Exchange: A location's filter cartridge exchange schedule is determined by use, water quality, and manufacturer recommendation.

Depending on the manufacturer and type of filter (carbon, ion, or membrane), the flow rate may or may not drop, affecting water pressure to the equipment. Refer to your filtration manufacturer for specifics on recommended filtration replacement schedule. Changing filters regularly will prolong the life of your equipment and maintain the quality of your product.

WATER REQUIREMENTS ppm: parts per million

Total Dissolved Solids (TDS)	30-150 ppm
Total Hardness	2-3 grains per gallon
pH	6-8
Chloride	0 ppm
Chloramine	0 ppm
Silica	<5 ppm
Flow rate of water into machine	0.5 gallons per minute

Placing Orders: Please email orders to orders@ranciliogroupna.com. Verbal orders cannot be accepted for equipment or parts. If a part is not in stock, a back order will be created. When the back ordered part is in stock, it will be shipped. These shipping charges are the responsibility of the party who placed the order.

Changes to Orders: After an order has been processed, any additional items requested will be processed as a separate order and may ship separately.

Returns: Returns are accepted within 30 days of purchase. Customer returns will require a Return Goods Authorization (RGA). Please email orders@ranciliogroupna.com or call (630) 914-7900 for an authorization number. A 20% restocking fee will be incurred for all returned items.

Damaged Items: Any merchandise that arrives damaged must be reported within ten (10) business days of receipt. Any damaged merchandise must be returned with an RGA to Rancilio within 30 days of receipt.

Order Confirmation: You will receive an email confirmation that your equipment order has been received and is being processed.

Accounts Receivable: All orders will be prepaid prior to shipping unless credit terms are established. We accept major credit cards in addition to company checks and wire transfers. Each returned check will incur a \$25.00 processing fee. If credit terms have been established, the following structure applies:

- 1-30 days: Invoice due
- 31-60 days: Account is past due: all order shipped COD
- 61-90 days: Account is placed on a NO SHIP status
- 91+ days: Account is turned over to collections

PLEASE NOTE: Invoices past due 30 days will incur an interest rate of 1.5% per month until the balance is paid in full. Technical support and warranty service may be suspended when customer accounts are delinquent.

Invoices will be emailed to the person or department that has the authority to approve and pay the invoices. Please email accounting@ranciliogroupna.com immediately if an email address needs to be updated so that future invoices will be sent to the appropriate person(s).

Installation Forms: A completed Installation Form must have been submitted before any warranty parts requests will be filled. An Installation Form, pre-printed with the model and serial numbers, is shipped with each piece of new commercial equipment. In order to activate the warranty and register the equipment, it is mandatory that the Installation Form is completed immediately and submitted within 10 days.

Warranty Coverage: Rancilio and Rancilio Specialty models include a 1 year limited parts warranty. Egro models include a 2 year limited parts warranty. These warranties will begin upon the date of installation as stated in the installation form or 90 days from the date of purchase, whichever comes first. Rancilio Group warrants that the equipment it has manufactured will be commercially free of defects in material and workmanship existing at the time of manufacture and appearing within the applicable warranty period. These warranties do not apply to any equipment that, in the Rancilio Group's judgment, has been affected by misuse, neglect, alteration, improper installation or operation, improper maintenance or repair, damage or casualty. For more information on your equipment warranty and a complete list of warranty exclusions, please reference the full warranty statement.

Warranty Procedures: Distributors are asked to complete and submit a warranty form when replacement parts are required. The authorized warranty part will then be shipped to the distributor. This process has been designed to streamline the warranty process. We understand that, at times, a given part may not be in stock; in this case, we will cover the cost of standard shipping (any expediting costs will be the responsibility of the distributor.) Distributors are asked to keep the warranty-claimed part in their possession for a period of 60 days, as we may request that the part be sent back. After this time period, the part may be disposed of. However, pumps, motors, and electronic boards should always be returned.

MAP (Minimum Advertised Pricing) for Commercial Equipment: We reserve the right to determine the advertised price for our equipment. When pricing for commercial units is listed online, any discount displayed must not exceed 15% of the retail price. The selling of Commercial Equipment via the Internet to companies outside of your serviceable area is not condoned.



Rancilio Group North America
11130 Katherine's Crossing Ste. 800
Woodridge, IL 60517 USA

Toll-free (877) 726-2454
Tel: (630) 914-7900
Fax: (630) 914-7901

www.ranciliogroupna.com
info@ranciliogroupna.com
orders@ranciliogroupna.com

Prices are expressed in U.S. dollars and valid in the USA and Canada only.
Products and prices are subject to change at any time without notice.